

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|------------------|---------|------------------|
| | | 26 and (manometer ((pressure near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)) | USPAT | OR | ON | 2005/01/27 11:06 |
| | | 13 and ((pressure near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)).clm. | USPAT | OR | ON | 2005/01/27 11:05 |
| L4 | 727 | manometer.clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/27 09:46 |
| L5 | 81 | 4 and (rubber elasti\$8 resin epoxy absorb\$6 shock) same (break\$5 fracture prevent\$5 shock\$8) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/27 11:07 |
| L6 | 26 | 5 and (thread\$6 screw) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/27 09:21 |
| L7 | 27 | ("0618049" "0801202" "0913321" "1643886" "1812152" "1815000" "1917846" "2167449" "2603210" "2662409" "3316766" "4297889" "4380173" "4455876" "4535634" "4683756").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/01/27 09:25 |
| L8 | 0 | ("5895862").URPN. | USPAT | OR | ON | 2005/01/27 09:31 |
| L9 | 4 | ("3921455").URPN. | USPAT | OR | ON | 2005/01/27 09:35 |
| L10 | 4 | ("4192193").URPN. | USPAT | OR | ON | 2005/01/27 09:43 |
| L11 | 0 | 4 and ((prevent absorb\$6) near4 shock\$6).clm. | USPAT | OR | ON | 2005/01/27 09:44 |
| L12 | 2 | 4 and ((prevent absorb\$6) near4 shock\$6) | USPAT | OR | ON | 2005/01/27 09:47 |
| L13 | 11817 | (73/700-756).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/01/27 09:46 |
| L14 | 492 | 13 and manometer | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/27 09:46 |

| | | | | | | |
|-----|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|----|-----|------------------|
| L15 | 2 | 14 and ((prevent absorb\$6) near4 shock\$6) | USPAT | OR | ON | 2005/01/27 09:47 |
| L16 | 33 | 14 and (rubber elasti\$8 resin epoxy absorb\$6 shock) same (break\$5 fracture prevent\$5 shock\$8) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/27 09:48 |
| L17 | 36 | ("3818765" "4023562" "4072056" "4160575" "4230391" "4314480" "4317126" "4398542" "4407296" "4465075" "4505157" "4529789" "4539998" "4554927" "4557269" "4576181" "4589287" "4610256" "4644797" "4679567" "4683894" "4686764" "4776343" "4825876" "4885983" "4920972" "4966161" "5042495" "5097841" "5135489" "5203775" "5417395" "5461922" "5522266" "5551300" "5752918").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/01/27 10:09 |
| L18 | 0 | ("2005/0016284").URPN. | USPAT | OR | ON | 2005/01/27 10:35 |
| L19 | 2 | ("3592218").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/01/27 10:35 |
| L20 | 16 | ("3592218").URPN. | USPAT | OR | ON | 2005/01/27 10:39 |
| L21 | 3391 | 13 and (pressure near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)).clm. | USPAT | OR | ON | 2005/01/27 10:41 |
| L22 | 764 | 21 and (connect\$6 same (rubber resin epoxy elastic\$5 absorb\$6 shock)) | USPAT | OR | ON | 2005/01/27 11:12 |
| L23 | 111 | 22 and (connect\$6 near6 thread\$7) | USPAT | OR | ON | 2005/01/27 10:42 |
| L24 | 14 | 23 and (connect\$6 same (rubber resin epoxy elastic\$5 absorb\$6 shock)).clm. | USPAT | OR | ON | 2005/01/27 10:52 |
| L25 | 7 | 23 and manometer | USPAT | OR | ON | 2005/01/27 11:04 |
| L26 | 798 | (73/756).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/01/27 11:04 |

| | | | | | | |
|-----|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|----|-----|------------------|
| L27 | 623 | 26 and (manometer (pressure near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4))) | USPAT | OR | ON | 2005/01/27 11:07 |
| L28 | 287 | 27 and (rubber elasti\$8 resin epoxy absorb\$6 shock) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/27 11:07 |
| L29 | 474 | 26 and (manometer (pressure near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)))ab. | USPAT | OR | ON | 2005/01/27 11:07 |
| L30 | 77 | 29 and (rubber elasti\$8 resin epoxy absorb\$6 shock).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/27 11:10 |
| L31 | 38 | 30 and (connect\$6 same (rubber resin epoxy elastic\$5 absorb\$6 shock)) | USPAT | OR | ON | 2005/01/27 11:12 |
| L32 | 10 | ("1941613" "2486133" "2515394" "2618978" "2897675").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/01/27 11:21 |
| L33 | 13 | ("2486133").URPN. | USPAT | OR | ON | 2005/01/27 11:24 |
| L34 | 6 | ("3915008").URPN. | USPAT | OR | ON | 2005/01/27 11:27 |
| L35 | 2 | ("3999430").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/01/27 13:49 |
| S1 | 1442 | (73/700,756).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2005/01/27 09:46 |
| S2 | 62 | S1 and manometer | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/27 09:15 |
| S3 | 1 | S2 and (rubber elastic absorb\$6 shock).clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/26 14:55 |
| S4 | 16 | S2 and (rubber elasti\$8 resin epoxy absorb\$6 shock) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/27 09:19 |